





zoure home.



Shake off the cold and relax in the welcoming warmth of a Parkray stove. From slimline, spaceconscious solutions, to powerful stoves perfect for open-plan living, a Parkray fire can warm up any space. Our range of contemporary designs means that we have a stove to suit every setting. YOU CAN RELAX KNOWING YOUR STOVE IS RUNNING AT A STANDARD WHICH AIMS TO IMPROVE AIR QUALITY AND REDUCE EMISSIONS. WITH EASY CONTROL AND TRIPLEBURN® TECHNOLOGY FOR ECO-FRIENDLY, EFFICIENT BURNING, OUR ASPECT STOVES PRODUCE 5 TIMES LESS SMOKE THAN REQUIRED UNDER THE CURRENT ECO DESIGN 2022 STANDARDS. LOOK OUT FOR THE ECO DESIGN 2022 AND SIA LOGOS FOR STOVES WHICH ENSURE A CLEANER ENVIRONMENT AND PEACE OF MIND WHILE YOU KEEP COSY.

Find the Parkray stove which offers the ideal solution to heat your home, today.

WARRANTY	3
ASPECT 4 RANGE	4 - 5
ASPECT 5 RANGE	6 - 7
ASPECT 6 RANGE	8 - 9
ASPECT 7 RANGE	10 - 11
ASPECT 8 RANGE	12 - 13
ASPECT 14 RANGE	14 - 15
ASPECT 14B	16 - 17
PARKRAY GAS RANGE	18 - 19
ASPECT 4G GAS	20 - 21
ASPECT 47 GAS	22 - 23
CONSORT 5G	24 - 25
CONSORT 7G	26 - 27
OPTIONS AND FEATURES	28 - 31
DIMENSIONS	32 - 35















ALL PARKRAY AUTHORISED DEALERS PROVIDE YOU WITH AN EXTENDED 10 YEAR WARRANTY

*Not available on gas. For full warranty specifications, terms and a list of authorised stockists, please visit www.hunterstoves.co.uk.



THE ASPECT 4 AND ASPECT 4 COMPACT ARE THE SMALLEST OF THE ASPECT COLLECTION, BUT THEY REALLY KICK OUT SOME HEAT.

With a heat output range of 3-5.5kW, DEFRA approval and a very high efficiency, these stoves may be small but ensure a beautiful view of the flames through their large viewing window.





HEAT OUTPUT 3kW TO 5kW NOMINAL 4.5kW

ASPECT 4 COMPACT

ENERGY EFFICIENCY CLASS A+






ENERGY EFFICIENCY CLASS A+

4.5kW

3.5kW TO 5.5kW



HIGHLY CONTROLLABLE, THE ASPECT 5 SERIES CAN CHANGE FROM A HIGH TO LOW OUTPUT IN A MATTER OF SECONDS.

Even with their generous maximum outputs, these stoves have impressively low CO emissions, which means you can keep warm whilst being environmentally friendly.









4kW TO 6kW 5kW

HEAT OUTPUT

NOMINAL



ASPECT 5

ENERGY EFFICIENCY CLASS A+ HEAT OUTPUT 4kW TO 7kW




ASPECT 5

ENERGY EFFICIENCY CLASS

NOMINAL

5kW



THE ASPECT 6 OFFERS A TRULY MESMERISING VIEW OF THE FLAMES, MAKING AN ALLURING CENTREPIECE IN ANY ROOM.

Combining looks, controllability and high efficiency, the Aspect 6 is an excellent addition to any home. This stove boasts our famous Tripleburn[®] technology and offers a generous output of up to 7.5kW, making it an impressive all-rounder.












HEAT OUTPUT

NOMINAL

4kW TO 7.5kW

5kW



CURL UP IN FRONT OF THE LARGE LANDSCAPE WINDOW OF THE ASPECT 7 AND RELAX TO THE PICTURESQUE VIEW OF THE FLAMES.

With clean lines, an elegant finish and a truly impressive output, the Aspect 7 will make a great addition to your living space. As with all the stoves in the Aspect range, the Aspect 7 comes with the choice of two different handles, helping it integrate beautifully into your home, whatever the interior.










HEAT OUTPUT

4kW TO 7.5kW

NOMINAL

5kW

ENERGY EFFICIENCY CLASS



THE ASPECT 8 HAS AN IMPRESSIVE OUTPUT, PERFECT FOR HEATING A LARGER ROOM.

This convection stove effortlessly combines science and style, keeping the whole family toasty when the nights draw in. This model boast a glorious flame picture, as well as reduced clearance distances to combustible materials, making it ideal for transforming any opening.











HEAT OUTPUT

NOMINAL

6kW TO 11kW

7.5kW

13

aspect 14 nange

14

PARKRAY CONTEMPORARY RANGE





BRING YOUR HOME ALIVE WITH THE GLOW OF THE ASPECT 14 AND ITS TOASTY OUTPUT OF UP TO 15KW.

Great for heating larger family rooms, the Aspect 14 offers all the ambiance of a real fire, along with powerful Tripleburn® technology. This contemporary stove burns beautifully, and comes with two handle options to suit any interior.











HEAT OUTPUT




7kW TO 15kW



aspect 14B eco boiler store



CONTEMPORARY HEATING SOLUTION







UPGRADE THE EFFICIENCY AND STYLE OF YOUR HOME WITH THE ASPECT 14 ECO BOILER STOVE.

This contemporary boiler stove is both practical and extremely desirable, adding ambience to the room alongside its powerful Tripleburn® technology which simultaneously heats the room and the water for your home. The Aspect 14 Boiler Stove heats the hot water for your home quickly and efficiently whilst providing a magnificent centrepiece for your room with its impressive glass viewing window.

BOILER









HEAT OUTPUT / ROOM HEAT OUTPUT / WATER

5kW TO 9kW

5kW TO 16kW

NOMINAL / ROOM

5.5kW

NOMINAL / WATER

4.8kW

8-14 RADIATORS*

* Number of radiators size. Suitable for open vented systems.



PARKRAY GAS RANGE

Naturally effortless, a Parkray gas stove provides an exquisite focal point in any home.

WITH A MIX OF CONTEMPORARY AND TRADITIONAL GAS STOVES, THE PARKRAY GAS RANGE OFFERS SOMETHING FOR ALL TYPES OF HOMES.

Our Aspect and Consort gas models beautifully combine elegant aesthetics with advanced gas fire technology.





AN EXCELLENT CHOICE FOR THOSE LOOKING TO FILL A SMALL SPACE, THE NEW ASPECT 4G ENSURES A GLOWING FLAME PICTURE.

The epitome of elegance and ease, this stove can be controlled with a digital display remote device for added convenience. With a log bed effect and a choice of black or stainless-steel handle, you can really tailor this model to suit your interior.



• SINGLE DOOR

REALISTIC LOG EFFECT DIGITAL DISPLAY REMOTE CONTROL

FLAT TOP

NATURAL GAS OR LPG

- μανίοι ε ορτίον
- BLACK CHROME
- AND STAINLESS STEEL

HEAT INPUT

4.7kW

3.0kW

E

HEAT OUTPUT*

ENERGY EFFICIENCY CLASS

* based on natural gas.



WITH A FLAME PICTURE THAT'S EQUALLY AS IMPRESSIVE AS THAT OF ITS WOOD BURNING COUNTERPART, THE ASPECT 7 GAS STOVE WILL ADD AN ELEGANT CENTREPIECE TO YOUR HOME.

A beautiful combination of stylish aesthetics and innovative gas fire technology, the Aspect 7 Gas is perfect for heating family spaces. With a choice between a log or coal effect and black or stainless-steel handle, you can tailor this model to suit your interior.



• SINGLE DOOR

REALISTIC LOG OR COAL EFFECT

DIGITAL DISPLAY REMOTE CONTROL NATURAL GAS OR LPG

HANDLE OPTIONS:

BLACK CHROME AND

STAINLESS-STEEL

HEAT INPUT

6.5kW

4.9kW

Е

HEAT OUTPUT*

ENERGY EFFICIENCY CLASS

* based on natural gas.

23



THE CONSORT 5 GAS MODEL IS A SMALL STOVE WITH A LOT OF WARMTH TO GIVE.

Bringing all the traditional charm of the Consort range, this compact gas stove allows installation in a smaller fireplace, yet still offers a toasty heat output. Enjoy a wonderfully natural flame picture and a log bed that is exceptionally realistic, with the peace of mind that your stove is fitted with the highest standard of safety features.

• SINGLE DOOR

REALISTIC LOG EFFECT DIGITAL DISPLAY REMOTE CONTROL

FLAT TOP

NATURAL GAS OR LPG

- μανίοι ε ορτίον
- AND STAINLESS STEEL

HEAT INPUT

4.7kW

3.3kW

E

HEAT OUTPUT*

ENERGY EFFICIENCY CLAS

* based on natural gas.



FULL OF TRADITIONAL CHARM, THE CONSORT 7 GAS RANGE PROVIDES A SPLENDID BACKDROP FOR TREASURED FAMILY TIME.

The Consort 7 Gas combines a timeless design with forward-thinking gas technology to create an enchanting focal point for your home. With a digital-display remote control for added convenience, you can simply sit back and enjoy the view.



SINGLE DOOR



• DOUBLE DOOR

REALISTIC LOG OR COAL EFFECT

DIGITAL DISPLAY REMOTE CONTROL NATURAL GAS OR LPG

- TRADITIONAL
- BLACK HANDLE

HEAT	INPUT

6.5kW

HEAT OUTPUT*

5.4kW

E

ENERGY EFFICIENCY CLASS

* based on natural gas.

aspect features

	ASPECT 4 COMPACT	ASPECT 4	ASPECT 5 COMPACT	ASPECT 5	ASPECT 6	ASPECT 7
DEFRA approved						
Nominal heat output to room (kW)	4.5	4.5	5.0	5.0	5.0	5.0
Heat output range (kW)	3-5	3.5-5.5		4-7	4-7.5	4-7.5
Efficiency on wood (%)	81	81	80	80	80	81
CO emission (at 13% O2) (%)	0.12	0.12	0.10	0.10	0.10	0.09
Boiler option	NA	NA	NA	NA	NA	NA
Log lengths (mm)	300	300	400	400	450	480
Weight (kg)	59.5	64.9	74	81.3	92.1	85.5
Clearance distances to combustible materials (mm)*	Rear: 125 Side: 500	Rear: 125 Side: 500	Rear: 125 Side: 600	Rear: 125 Side: 600	Rear: 125 Side: 600	Rear: 125 Side: 500
Clearance distances to non-combustible materials (mm)	Rear: 50 Side: 50					

CONTACT YOUR DEALER FOR INSTALLATION ADVICE Y = YES NA = NOT APPLICABLE S = STANDARD * Distances when installed with a twin walled flue (with the addition of a heat shield). ** Wall must be a minimum of 75mm thick.

FAQs

HOW MUCH SPACE WILL MY STOVE NEED?

With all our freestanding units, it is safe to install them with a clearance of 2" (50mm) either side to non-combustible material. However, for optimum performance and heat output, we recommend a clearance of 6" (150mm). Behind the stove, there should be a minimum clearance of 2" (50mm), however we recommend 4" (100mm) for optimum performance.

WHAT IS A NOMINAL HEAT OUTPUT?

The nominal output is the output achieved under specific test conditions by the independent test laboratory. The stoves tend to be operated with the air controls set at less than maximum and with relatively modest loads. We recognise that end users are unlikely to operate the stoves in this way and therefore we carry out internal testing to suggest a reasonable heat output range that the end user should achieve without over-firing the unit.



ASPECT 8	ASPECT 14	BOILER
7.5	7.8	5.5
6-11	8-15	5-9
76	77	77
0.06	0.10	0.06
NA	NA	S
500	540	320
102.4	126.5	172
Rear: 100 Side: 375	Rear: 100 Side: 525	Rear: 130 Side: 500
Rear: 50 Side: 50	Rear: 50 Side: 50	Rear: 51** Side: 51**

ASPECT 14

ASDECT 1

ASPECT 8

aspect options

PLINTH

You can choose to have your Aspect stove fitted on a log plinth, which raises it up off the floor and provides a handy place to store your wood.



STOVE	HEIGHT	DEPTH	WIDTH
ASPECT 4 COMPACT	225	307	400
ASPECT 4	150/225	357	400
ASPECT 5 COMPACT	225	312	494
ASPECT 5	150/225	362	494
ASPECT 6	225	405	557
ASPECT 7	225	364	579
ASPECT 8	225	405	617
ASPECT 14	225	539	667
ASPECT 14B	225	539	667

BENCH

The stoves in the Aspect range have the option of being fitted on a bench. There is a choice of two lengths, 800mm and 1,195mm long. Both are at a height of 345mm and a depth of 415mm. Stoves fitted on benches can be installed on a 12mm hearth when freestanding.



DIRECT AIR

All of our Aspect stoves come with the option of a direct air kit. This will allow a room sealed installation.

INTERCHANGEABLE FLUE OUTLETS

All the Aspect range and gas models can be flued from either the top or the rear of the stove.

PARKRAY GAS features

		ASPECT 4 GAS	ASPECT 7 GAS	CONSORT 5 GAS	CONSORT 7 GAS
Heat Output Range (kW)	LPG				
	Natural gas (NG)				
Remote control					
Heat input (kW)	LPG				
Heat output (kW)	LPG				
				0	
Double door option		NA	NA	NA	0
Clearance distances to		Rear wall: 10	Rear wall: 100		Rear wall: 100
					Side: 100
		Shelf/top: 250	Shelf/top: 300	Shelf/top: 250	Shelf/top: 300
Clearance distances to (m		Rear wall: 50			Rear wall:50
			Shelf/top: 200		Shelf/top: 200
Minimum distance for hea to extend in front of stove					

CONTACT YOUR DEALER FOR INSTALLATION ADVICE

PLEASE NOTE: All measurements are in millimetres (mm).

PARKRAY GAS options

GAS TYPE

FUEL EFFECT

HANDLE




CONTROL


Each Parkray gas stove comes available with a hand-held digital display remote control. This handset can swtich the stove on and

off, and comes with seven flame picture settings. In the case of a misplaced remote control, the manua control allows continued operation of the stove. Plus, a handy pager system will audibly locate your remote device.





PLEASE NOTE: All measurements are in millimetres (mm). All illustrations are for illustrative purposes only.



PARKRAY TRADITIONAL RANGE







NORDVIGGEN TRADING AB

info@nordviggen.se | www.nordviggen.se +46 10 471 10 40

